Notice of Allowability	Application No.	Applicant(s)	
	09/753,913	SVENSSON ET AL.	
	Examiner	Art Unit	~
	Jean B Corrielus	2637	16
The MAILING DATE of this communication approached approached the serious allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate comming IGHTS. This application is	n this application. If not include unication will be mailed in due	ded course. THIS
1. This communication is responsive to 10/4/04.			
2. The allowed claim(s) is/are <u>1-30, 32, 34, and 35, renumbe</u>			
3. The drawings filed on 14 May 2001 are accepted by the E	xaminer.		
 4. ☐ Acknowledgment is made of a claim for foreign priority u a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	e been received. e been received in Applicatio	on No	ation from the
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		e a reply complying with the re	equirements
 A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which giv 	nitted. Note the attached EX es reason(s) why the oath o	AMINER'S AMENDMENT or I r declaration is deficient.	NOTICE OF
6. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner' Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the search sheet.	son's Patent Drawing Review s Amendment / Comment o .84(c)) should be written on t	r in the Office action of he drawings in the front (not th	e back) of
 DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT 	SIT OF BIOLOGICAL MAT FOR THE DEPOSIT OF BIO	ERIAL must be submitted. DLOGICAL MATERIAL.	Note the
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 2/20/02@ 2/23/01 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview S Paper No 98), 7. ☐ Examiner's	Jean B Corrielus Primary Examiner	,
		Art Unit: 2637	9-04

Application/Control Number: 09/753,913

Art Unit: 2637

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance: a correlation method and apparatus are disclosed. The closest prior art, Haartsen US patent No. 5,960,048 and Chen US Patent No. 6,424,673, disclose similar method and apparatus. However, Haartsen and Chen fail to teach or fairly suggest the limitations recited in claim 1, lines 6-16; as per claim 9, the limitations recited in lines 4-8; as per claim 12, the limitations recited in lines 4-15; as per claim 15, the limitations recited in lines 7-18; as per claim 21, the limitations recited in lines 4-25; as per claim 25, the limitations recited in lines 5-28; as per claim 30, the limitations recited in lines 14-31; such limitations, as recited in the claims, are neither anticipated nor rendered obvious by Haartsen and Chen.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jean B Corrielus whose telephone number is 571-272-3020. The examiner can normally be reached on Maxi-Flex.

Application/Control Number: 09/753,913

Art Unit: 2637

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jay Patel can be reached on 571-272-3086. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Manuelly Jean B Corrielus Primary Examiner Art Unit 2637